

**The Manager,**  
 NAVJEEVAN ENGLISH SCHOOL BELTHARA ROAD BALLIA UP  
 NAVJEEVAN ENGLISH SCHOOL, BELTHARA ROAD, BALLIA  
 UTTAR PRADESH, BALLIA, 221715  
 (M: 05491-245137)

**Subject :- EXTENSION OF PROVISIONAL AFFILIATION UP TO SENIOR SECONDARY LEVEL**

Sir / Madam,

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of Provisional Affiliation as per details given below :-

<b>Affiliation No used as User ID for both OASIS and LOC/Registration System</b>	<b>2131189</b>
<b>School No</b>	<b>70192</b>
<b>Affiliated for</b>	<b>Extension of Provisional Affiliation for Senior Secondary Level</b>
<b>Category</b>	<b>Extension of Affiliation</b>
<b>Period of affiliation</b>	<b>01.04.2026 to 31.03.2031</b>
<b>Application to be filled for further extension in the Year</b>	<b>2030</b>

<b>Sl. No.</b>	<b>The school is directed to ensure that :</b>																
1	<p>The total number of sections of the school from class I to XII shall be restricted to , out of which the school can run not more than sections in secondary classes i.e. in class IX and in class X and not more than sections in senior secondary classes i.e. in class XI and in class XII, subject to the condition that the school shall not run more than 1/4 and 1/3 of the total sections running in the school at any point in time at the secondary level and senior secondary level respectively. Any further increase of sections shall be subject to specific approval of the Board based on the request of the school as per Affiliation Bye Law, 2018 and availability of land and classrooms of size greater than 500 sq ft of dimension.</p>																
2	<p>The optimum number of students intake preferably shall be restricted as per the provisions of the Affiliation Bye Laws, 2018 as per the size of classrooms mentioned below:</p> <table border="1"> <thead> <tr> <th><b>Sl. No.</b></th><th><b>Dimension of Classrooms</b></th><th><b>Number of Classrooms</b></th><th><b>Maximum number of permissible students</b></th></tr> </thead> <tbody> <tr> <td>1</td><td>Greater than and equal to 500 sq ft.</td><td>38</td><td>40</td></tr> <tr> <td>2</td><td>Between 400-499 Sq ft.</td><td>20</td><td>35</td></tr> <tr> <td>3</td><td>Less than 400 Sq ft.</td><td>21</td><td>30</td></tr> </tbody> </table>	<b>Sl. No.</b>	<b>Dimension of Classrooms</b>	<b>Number of Classrooms</b>	<b>Maximum number of permissible students</b>	1	Greater than and equal to 500 sq ft.	38	40	2	Between 400-499 Sq ft.	20	35	3	Less than 400 Sq ft.	21	30
<b>Sl. No.</b>	<b>Dimension of Classrooms</b>	<b>Number of Classrooms</b>	<b>Maximum number of permissible students</b>														
1	Greater than and equal to 500 sq ft.	38	40														
2	Between 400-499 Sq ft.	20	35														
3	Less than 400 Sq ft.	21	30														
3	<p>The approval is based upon the documents /data/information uploaded by the school online. The Manager and Principal of the school shall be held responsible for its</p>																

	<p>genuineness. In case of any document found to be fake/forged/fabricated/tampered, the application of the school is liable to be rejected and the school shall be liable for imposition of any of the penalties and necessary action will be initiated against the school as deemed fit, under clause 10.1.16 of Affiliation Bye Laws, 2018.</p>												
4	<p>The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, Circulars, Guidelines, Instructions and other amendments issued from time to time by the Board.</p>												
5	<p>The School shall possess following Valid Mandatory Documents at all times :</p> <ol style="list-style-type: none"> <li>No Objection Certificate</li> <li>Recognition Certificate</li> <li>Land Certificate</li> <li>Fire Safety Certificate</li> <li>Building Safety Certificate</li> <li>Certificate of Registration of Society/Trust/Company</li> <li>Safe Drinking Water and Sanitary Condition Certificate</li> </ol>												
6	<p>The School shall also ensure the compliance with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal.</p> <table border="1" data-bbox="250 720 1223 1567"> <tr> <td>1</td><td>Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.</td></tr> <tr> <td>2</td><td>Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.</td></tr> <tr> <td>3</td><td>Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>4</td><td>Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>5</td><td>Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>6</td><td>Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)</td></tr> </table>	1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.	2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.	3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)
1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.												
2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.												
3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)												
7	<p>The School is required to apply online for extension of affiliation in the preceding academic session before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.</p>												
8	<p>The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.</p>												
9	<p>The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.</p>												
10	<p>The school shall not remove the documents and videography links in the mandatory disclosure section of its website.</p>												
11	<p>The School is directed to run at least 01 section each of bal-vatika I, II &amp; III in accordance with established norms permitted vide Board's circular no. 12/2023 dated 24-03-2023 &amp;</p>												

	25/2023 dated 11-09-2023.
12	The school shall conduct training of its teachers with concerned COE.
13	The school is directed to ensure that all essential valid documents are available under the head Mandatory Public Disclosure (as per annexure- IX) on school's website at all time and the link of certificates should be remain functional.
14	As per the recommendation of NEP, the school shall ensure the participation of its students in the Structured Assessment for Analyzing Learning(SAFAL), an exam conducted by the Board every year. This exam, designed to assess and enhance students' learning, is a valuable initiative for their holistic development, as per the guidelines issued by the Board vide circular no: Acad-49/2024 dated 26 June 2024.
15	The school will ensure the Holistic Progress Card (HPC) is used for the foundational stage according to the guidelines issued by the Board via notification no. CBSE/Director (Acad.-Assessment)/2023 dated 27.12.2023.
16	The school shall submit an undertaking to upload all requisite information regarding students, teachers, and infrastructure details available in the school on the UDISE and OASIS Portals. The registration of the students in classes IX/XI shall be conditional on the school providing complete information on the UDISE and OASIS Portals.
17	The school shall ensure that all teachers undergo at least 50 hours of Continuous Professional Development (CPD) every year, vide notification no. 16/2021 dated 24.09.2021, out of which 25 hours should be from concerned COE.
18	The school may make provision to establish rain water harvesting system in their school premises as per Board's circular no. CBSE/AFF./AC/RWH/2025 dated 24.03.2025.
<p><b>Further, the school shall submit compliance on the following mentioned conditions within 03 months on the SARAS Portal from the date of the grant letter i.e. upto 05/08/2025. Failure to submit compliance within the stipulated time shall invite financial penalty of Rs. 50,000/- and appropriate action may be initiated as deemed fit.</b></p> <p>In case of partial acceptance of compliance, the school shall submit the remaining compliance's within further stipulated period of 03 months. In case of the failure of the school to submit the final compliance's, the Board may enhance the penalty amount and debar the school from filling up the Registration/LOC details of students of classes IX &amp; X, as the case may be, in the next academic session i.e. 2027-28.</p>	

**DEPUTY SECRETARY/JOINT SECRETARY/DIRECTOR (AFF.)**

*This is an electronically generated document. It does not need any signature.*

*To verify the authenticity of the document, please visit  
<http://www.saras.cbse.gov.in/saras/AffiliatedList>ListOfSchdirReport>.*

प्रारूप-9  
नियम 8(2) देखिये

संख्या 01080/2024-2025

दिनांक 15/02/2025



सोसाइटी के नवीनीकरण का प्रमाण-पत्र  
(अधिनियम संख्या 21, 1860 के अधीन )

नवीनीकरण संख्या: R/BAL/16000/2024-2025

पत्रावली संख्या: AZ-4831

दिनांक: 2000-2001

एतदद्वारा प्रमाणित किया जाता है कि नव जीवन सोसाइटी, ग्राम अवार्यां पोस्ट व तहसील बेल्थरारोड जिला बलिया, उ०प्र०, बलिया, 221715 को दिये गये रजिस्ट्रीकरण प्रमाण-पत्र संख्या- 709/1999-2000 दिनांक-17/12/2000 को दिनांक-16/02/2025 से पांच वर्ष की अवधि के लिए नवीनीकृत किया गया है।

1000 रूपये की नवीनीकरण फीस सम्प्यक रूप से प्राप्त हो गयी है।



Digitally Signed By  
(DEEPAK KUMAR)  
3AD6AF32A07CB34525C1E6C8D785B5C35E6E34AA

Date: 15/02/2025 12:35:33 PM, Location: Azamgarh.

सोसाइटी के रजिस्ट्रार,  
उत्तर प्रदेश।

जारी करने का दिनांक-15/02/2025

.. नोट ..

यह नवीनीकरण प्रमाणपत्र संस्था के हित में निर्गत किया जा रहा है जो संस्था के अन्यथा विधिपूर्वक पंजीकृत रहने की दशा में ही मान्य है। इस नवीनीकरण प्रमाण पत्र से किसी आवेदक, प्रबंध समिति अथवा किसी अन्य संबद्ध/असम्बद्ध व्यक्तिके किसी दावे, अधिकार, अनुतोष अथवा मान्यता की पुष्टि नहीं होती है तथा इन प्रयोजनों हेतु इस नवीनीकरण प्रमाण पत्र का प्रयोग किसी न्यायालय में मान्य नहीं है। इस प्रमाण पत्र को केवल संस्था हित में निर्गत किया जा रहा है तथा किसी व्यक्ति विशेष के पक्ष में यह पठनीय नहीं होगा।

प्रेषक,

ममता श्रीवास्तव,  
उप सचिव,  
उत्तर प्रदेश शासन।

सेवा में,

सचिव,  
केन्द्रीय माध्यमिक शिक्षा परिषद्,  
शिक्षा केन्द्र-2 समुदाय केन्द्र,  
प्रीति विहार, नईदिल्ली।

शिक्षा (7) अनुभाग

विषय :— नवजीवन इंग्लिश स्कूल बिल्थरा रोड, बलिया को सी०बी०एस०ई० नईदिल्ली से संबद्धता हेतु अनापत्ति प्रमाण पत्र दिया जाना।

महोदय,

उपर्युक्त विषय की ओर आपका ध्यान आकृष्ट करते हुये मुझे यह कहने का निदेश हुआ है कि उक्त संदर्भित विद्यालय को सी०बी०एस०ई० नई दिल्ली से संबद्धता हेतु अनापत्ति प्रमाण पत्र दिये जाने में इस राज्य सरकार को निम्नलिखित प्रतिबंधों के अधीन आपत्ति नहीं हैः—

- (1) विद्यालय की पंजीकृत सोसायटी का समय—समय पर नवीनीकरण कराया जायेगा।
- (2) विद्यालय की ब्रवंद समिति में शिक्षा निदेशक द्वारा नामित एक सदस्य होगा।
- (3) विद्यालय में कम से कम 10 प्रतिशत स्थान अनुसूचित जाति/जनजाति के मेधावी बच्चों के लिए सुरक्षित रहेंगे और उनसे ००प्र०माध्यमिक शिक्षा परिषद्/वेसिक शिक्षा परिषद द्वारा संचालित विद्यालयों में विभिन्न कक्षाओं के लिए निर्धारित शुल्क से अधिक शुल्क नहीं लिया जायेगा।
- (4) संस्था द्वारा राज्य सरकार से किसी अनुदान की मांग नहीं की जायेगी और यदि पूर्व में विद्यालय माध्यमिक शिक्षा परिषद से मान्यता प्राप्त है तथा विद्यालय की संबद्धता सेंट्रल बोर्ड आफ सेकेण्ड्री एजूकेशन नईदिल्ली/कॉसिल फार दि इण्डियन स्कूल सर्टफिकेट इक्जामिनेशन नईदिल्ली से प्राप्त होती है, तो उस परीक्षा परिषदों से संबद्धता प्राप्त होने की तिथि से ००प्र० माध्यमिक शिक्षा परिषद द्वारा प्रदत्त मान्यता तथा राज्य सरकार से प्राप्त अनुदान स्वतः समाप्त हो जायेंगे।
- (5) संस्था के शैक्षिक एवं शिक्षणेतार कर्मचारियों का राजकीय सहायता प्राप्त शिक्षण संस्थाओं के कर्मचारियों की अनुमन्य वेतनमानों तथा अन्य भत्तों से कम वेतनमान तथा अन्य भत्ते नहीं दिये जायेंगे।
- (6) कर्मचारियों की सेवा शर्ते बनायी जायेगी और उन्हें सहायता प्राप्त अशासकीय उच्चतर माध्यमिक विद्यालयों के कर्मचारियों को अनुमन्य सेवा निवृत्ति का लाभ उपलब्ध कराये जायेंगे।

—2—

(7) राज्य सरकार द्वारा समय—समय पर जो भी आदेश निर्गत किये जायेंगे संस्था उनका पालन करेगी ।  
(8) विद्यालय का रिकार्ड निर्धारित प्रपत्र पंजिकाओं में रखा जायेगा ।  
(9) उक्त शर्तों में राज्य सरकार के पूर्णानुमोदन के बिना कोई परिवर्तन/संशोधन/परिवर्द्धन नहीं किया जायेगा ।

2— उक्त प्रतिबंधों का पालन करना संस्था के लिए अनिवार्य होगा और यदि किसी समय यह पाया जाता है कि संस्था द्वारा उक्त प्रतिबंधों का पालन नहीं किया जा रहा है अथवा पालन करने में किसी प्रकार की चूक या शिथिलता बरती जाती है तो राज्य सरकार द्वारा प्रदत्त अनापत्ति प्रमाण पत्र वापस ले लिया जायेगा ।

भवदीय,

(ममता श्रीवास्तव)  
उप सचिव ।

पृ०संख्या एवं दिनांक तदैव

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1— शिक्षा निदेशक(मा०),उत्तर प्रदेश,लखनऊ ।  
2— मण्डलीय संयुक्त शिक्षा निदेशक,आजमगढ़ ।  
3— जिला विद्यालय निरीक्षक,बलिया ।  
4— निरीक्षक,आंग्ल भारतीय विद्यालय उ०प्र०,लखनऊ ।  
5— प्रबंधक,नवजीवन इंगिलिश स्कूल बिल्थरा रोड,बलिया ।  
6— गार्ड बुक ।

आज्ञा से,

(ममता श्रीवास्तव)  
उप सचिव ।

**The Manager,**  
 NAVJEEVAN ENGLISH SCHOOL BELTHARA ROAD BALLIA UP  
 NAVJEEVAN ENGLISH SCHOOL, BELTHARA ROAD, BALLIA  
 UTTAR PRADESH, BALLIA, 221715  
 (M: 05491-245137)

**Subject :- EXTENSION OF PROVISIONAL AFFILIATION UP TO SENIOR SECONDARY LEVEL**

Sir / Madam,

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of Provisional Affiliation as per details given below :-

<b>Affiliation No used as User ID for both OASIS and LOC/Registration System</b>	<b>2131189</b>
<b>School No</b>	<b>70192</b>
<b>Affiliated for</b>	<b>Extension of Provisional Affiliation for Senior Secondary Level</b>
<b>Category</b>	<b>Extension of Affiliation</b>
<b>Period of affiliation</b>	<b>01.04.2026 to 31.03.2031</b>
<b>Application to be filled for further extension in the Year</b>	<b>2030</b>

<b>Sl. No.</b>	<b>The school is directed to ensure that :</b>																
1	<p>The total number of sections of the school from class I to XII shall be restricted to , out of which the school can run not more than sections in secondary classes i.e. in class IX and in class X and not more than sections in senior secondary classes i.e. in class XI and in class XII, subject to the condition that the school shall not run more than 1/4 and 1/3 of the total sections running in the school at any point in time at the secondary level and senior secondary level respectively. Any further increase of sections shall be subject to specific approval of the Board based on the request of the school as per Affiliation Bye Law, 2018 and availability of land and classrooms of size greater than 500 sq ft of dimension.</p>																
2	<p>The optimum number of students intake preferably shall be restricted as per the provisions of the Affiliation Bye Laws, 2018 as per the size of classrooms mentioned below:</p> <table border="1"> <thead> <tr> <th><b>Sl. No.</b></th><th><b>Dimension of Classrooms</b></th><th><b>Number of Classrooms</b></th><th><b>Maximum number of permissible students</b></th></tr> </thead> <tbody> <tr> <td>1</td><td>Greater than and equal to 500 sq ft.</td><td>38</td><td>40</td></tr> <tr> <td>2</td><td>Between 400-499 Sq ft.</td><td>20</td><td>35</td></tr> <tr> <td>3</td><td>Less than 400 Sq ft.</td><td>21</td><td>30</td></tr> </tbody> </table>	<b>Sl. No.</b>	<b>Dimension of Classrooms</b>	<b>Number of Classrooms</b>	<b>Maximum number of permissible students</b>	1	Greater than and equal to 500 sq ft.	38	40	2	Between 400-499 Sq ft.	20	35	3	Less than 400 Sq ft.	21	30
<b>Sl. No.</b>	<b>Dimension of Classrooms</b>	<b>Number of Classrooms</b>	<b>Maximum number of permissible students</b>														
1	Greater than and equal to 500 sq ft.	38	40														
2	Between 400-499 Sq ft.	20	35														
3	Less than 400 Sq ft.	21	30														
3	<p>The approval is based upon the documents /data/information uploaded by the school online. The Manager and Principal of the school shall be held responsible for its</p>																

	<p>genuineness. In case of any document found to be fake/forged/fabricated/tampered, the application of the school is liable to be rejected and the school shall be liable for imposition of any of the penalties and necessary action will be initiated against the school as deemed fit, under clause 10.1.16 of Affiliation Bye Laws, 2018.</p>												
4	<p>The school shall follow all the provisions of Affiliation Bye-Laws- 2018, Examination Bye-Laws, Circulars, Guidelines, Instructions and other amendments issued from time to time by the Board.</p>												
5	<p>The School shall possess following Valid Mandatory Documents at all times :</p> <ol style="list-style-type: none"> <li>No Objection Certificate</li> <li>Recognition Certificate</li> <li>Land Certificate</li> <li>Fire Safety Certificate</li> <li>Building Safety Certificate</li> <li>Certificate of Registration of Society/Trust/Company</li> <li>Safe Drinking Water and Sanitary Condition Certificate</li> </ol>												
6	<p>The School shall also ensure the compliance with the Board's Bye-laws in respect of following facilities and infrastructure within 3 months and submit compliance on SARAS portal.</p> <table border="1" data-bbox="250 720 1223 1567"> <tr> <td>1</td><td>Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.</td></tr> <tr> <td>2</td><td>Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.</td></tr> <tr> <td>3</td><td>Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>4</td><td>Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>5</td><td>Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.</td></tr> <tr> <td>6</td><td>Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)</td></tr> </table>	1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.	2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.	3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.	6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)
1	Boundary Wall: Concrete boundary wall of not less than 6 ft. height, enclosing the school campus/site. Composite boundary walls which are partly concrete and partly grill/mesh/barbed wire below 6 feet will not be acceptable. If fencing/grill is required, then the same should be over and above 6 feet height.												
2	Ramp with proper incline at the entrance(s) as well as Ramps/lifts for CWSN for access of upper floors, if required along with the separate toilets for CwSN, Boys and Girls as per the guidelines issued by the Board vide circular no. 11/2024 dated 09.08.2024.												
3	Appropriate laboratory duly equipped with proper infrastructure (Composite Science Lab, Mathematics Lab, Computer Lab) as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
4	Well stocked library with adequate reading area, age appropriate furniture to accommodate 50 students, ICT facilities and other required infrastructure as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
5	Well-developed indoor and outdoor sports facilities as per the SoP issued by the Board vide Circular no. CBSE/AFF-11/2022 dated 04.10.2022.												
6	Well-developed Digital Infrastructure (Circular No. CBSE/AFF-10/2023 dated 24.03.2023)												
7	<p>The School is required to apply online for extension of affiliation in the preceding academic session before its expiry along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.</p>												
8	<p>The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.</p>												
9	<p>The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.</p>												
10	<p>The school shall not remove the documents and videography links in the mandatory disclosure section of its website.</p>												
11	<p>The School is directed to run at least 01 section each of bal-vatika I, II &amp; III in accordance with established norms permitted vide Board's circular no. 12/2023 dated 24-03-2023 &amp;</p>												

	25/2023 dated 11-09-2023.
12	The school shall conduct training of its teachers with concerned COE.
13	The school is directed to ensure that all essential valid documents are available under the head Mandatory Public Disclosure (as per annexure- IX) on school's website at all time and the link of certificates should be remain functional.
14	As per the recommendation of NEP, the school shall ensure the participation of its students in the Structured Assessment for Analyzing Learning(SAFAL), an exam conducted by the Board every year. This exam, designed to assess and enhance students' learning, is a valuable initiative for their holistic development, as per the guidelines issued by the Board vide circular no: Acad-49/2024 dated 26 June 2024.
15	The school will ensure the Holistic Progress Card (HPC) is used for the foundational stage according to the guidelines issued by the Board via notification no. CBSE/Director (Acad.-Assessment)/2023 dated 27.12.2023.
16	The school shall submit an undertaking to upload all requisite information regarding students, teachers, and infrastructure details available in the school on the UDISE and OASIS Portals. The registration of the students in classes IX/XI shall be conditional on the school providing complete information on the UDISE and OASIS Portals.
17	The school shall ensure that all teachers undergo at least 50 hours of Continuous Professional Development (CPD) every year, vide notification no. 16/2021 dated 24.09.2021, out of which 25 hours should be from concerned COE.
18	The school may make provision to establish rain water harvesting system in their school premises as per Board's circular no. CBSE/AFF./AC/RWH/2025 dated 24.03.2025.
<p><b>Further, the school shall submit compliance on the following mentioned conditions within 03 months on the SARAS Portal from the date of the grant letter i.e. upto 05/08/2025. Failure to submit compliance within the stipulated time shall invite financial penalty of Rs. 50,000/- and appropriate action may be initiated as deemed fit.</b></p> <p>In case of partial acceptance of compliance, the school shall submit the remaining compliance's within further stipulated period of 03 months. In case of the failure of the school to submit the final compliance's, the Board may enhance the penalty amount and debar the school from filling up the Registration/LOC details of students of classes IX &amp; X, as the case may be, in the next academic session i.e. 2027-28.</p>	

**DEPUTY SECRETARY/Joint SECRETARY/DIRECTOR (AFF.)**

*This is an electronically generated document. It does not need any signature.*

*To verify the authenticity of the document, please visit  
<http://www.saras.cbse.gov.in/saras/AffiliatedList>ListOfSchdirReport>.*

## कार्यालय अधिशासी अभियंता

प्रान्तीय खण्ड लो०नि०वि० बलिया

पत्रांक - ३२९ / १ सी  
सेवा में,

दिनांक - २४.०१.२०२५

प्रबन्धक  
नवजीवन इंग्लिश स्कूल  
बेत्थरा रोड, बलिया

विषय - नवजीवन इंग्लिश स्कूल बेत्थरा रोड, जनपद बलिया के भवन का नेशनल बिल्डिंग के सापेक्ष प्रमाण पत्र के संबंध में।  
सन्दर्भ - आपका पत्र दिनांक 16.01.2025


उपरोक्त संदर्भित पत्र के संबंध में इस खण्ड के सहायक अभियंता एवं अवर अभियंता द्वारा नवजीवन इंग्लिश स्कूल बेत्थरा रोड, जनपद बलिया के भवन का निरीक्षण किया गया, जिसकी प्रति संलग्न कर प्रेषित है।

  
अधिशासी अभियंता  
प्रान्तीय खण्ड लो०नि०वि०  
बलिया।

## जांच प्रमाण-पत्र

नवजीवन इंग्लिश स्कूल बेल्थरा रोड, जनपद बलिया के भवन का निरीक्षण किया गया। निरीक्षण के पूर्व विद्यालय के भवन का निर्माण हो चुका है। निरीक्षणोपरान्त भवन बिल्डिंग कोड के रिमार्क कालम के अनुसार पायी गयी।

S.No.	Items	Standard	Specification	As per Site Actual
1.	Height	3.60M	N.B.C.2005 Clause 12.18.1.1	3.60M
2.	Bathroom Height	2.10M.	N.B.C.2005 Clause 12.4.1	3.00M
3.	Height of plinth	0.45M	N.B.C.2005 Clause 12.1.1	0.65M
4.	Stair Width	1.50M	N.B.C.2005 Clause 12.18.1	1.50M
5.	Lighting and Ventilation room	1/10 floor area	N.B.C.2005 Clause 15.1.2	Yes
6.	Fire and Life safety	Certified by PHO Ballia	UPFS/2023/77463/BAL/239/CFO Dt. 25.03.2023	Yes
7.	Roofs	R.C.C. flat Roof	N.B.C.2005 Clause 12.19.1	Yes
8.	Structure	RCC Column and Beam	N.B.C.2005 Clause 12.19.1	Yes

  
 सहायक अभियंता  
 प्रान्तीय खण्ड लो०नि०वि०  
 बलिया।

**प्रारूप-छ (संलग्नक-6)**  
**अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्लीशन) अनापत्ति प्रमाणपत्र)**



पूर्वाईडी संख्या : UPFS/2023/77463/BAL/BALLIA/239/CFO  
 दिनांक : 25-03-2023

प्रमाणित किया जाता है कि मेसर्स NAVJEEVAN ENGLISH SCHOOL पता 254 257, AWAYAN BELTHARA ROAD, BALLIA तहसील - BELTHARA ROAD प्लाट एरिया 2431.26 sq.mt (वर्गमीटर), कुल कर्वड एरिया 470.48 (मीटर), ब्लाकों की संख्या - 1 जिसमें -

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेन्ट की संख्या	ऊँचाई
NAVJEEVAN ENGLISH SCHOOL	3	0	10.06 mt.

है। भवन का अधिभोग मेसर्स NAVJEEVAN ENGLISH SCHOOL द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक भूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण मुख्य अग्निशमन अधिकारी द्वारा दिनांक 30-03-2023 को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री MINI MATHEW के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रागत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी Educational के अन्तर्गत वैधता तिथि 31-03-2023 से 30-03-2026 तक 3 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मौजूद NAVJEEVAN ENGLISH SCHOOL अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होंगे। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण नियमित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मेसर्स NAVJEEVAN ENGLISH SCHOOL अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होंगे।

**Note : THE SCHOOL BUILDING BLOCK A IS GROUND WITH TWO FLOOR IN THIS BLOCK ALL FIRE FIGHTING ARRANGEMENT ARE AVAILABLE AND INSTALLED. FIRE EXTINGUISHER ARE ALSO AVAILABLE .STAFF ARE TRAINED TO OPERATE THEMSELF .**

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा। यह प्रमाण-पत्र भूमि / भवन के स्वामित्व / अधिभोग को प्रमाणित नहीं करता है।"

निर्गत किये जाने का दिनांक : 31-03-2023  
 स्थान : BALLIA

प्रमाणित  
 (धीरेन्द्र सिंह यादव)  
 मुख्य अग्नि-शमन अधिकारी  
 बलिया

मुख्य अग्निशमन अधिकारी  
 (डिजिटल रूप से हस्ताक्षरित)  
 DHIRENDRA SINGH YADAV  
 E40AE6B11A9463925D43213A3571CBDD4288406E  
 31-03-2023

*Note:- Kindly check the authentication of NOC by verifying the UID at departmental portal of UP Fire Service*



## Office of the District Basic Education Officer BALLIA

### CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that **NAVJEEVAN ENGLISH SCHOOL,BILTHARA ROAD BALLIA** is provisionally recognized for Primary(class 1 to 5).The Recognition number allotted to NAVJEEVAN ENGLISH SCHOOL is **BAL09637345216**.The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE

Valid From:15-10-2024To:15-10-2025(DD/MM/YYYY)

3. Recognition Type

New

4. School Type

Primary School(1 to 5)

5. Recognition No.

DATE:- 15-10-2024

PLACE:- BALLIA

District Basic Education Officer

Digitally signed by MANISH KUMAR SINGH  
Date: 2024.10.15 11:15:53  
Reason: For Digital Signature  
Location: BALLIA

Note :This Certificate is digitally signed and downloaded copy from Portal [www.prernaup.in](http://www.prernaup.in)



## Office of the District Basic Education Officer BALLIA

### CERTIFICATE OF SCHOOL RECOGNITION

1. This is to certify that **NAVJEEVAN ENGLISH SCHOOL, BILTHARA ROAD BALLIA** is provisionally recognized for Upper Primary(class 6 to 8). The Recognition number allotted to NAVJEEVAN ENGLISH SCHOOL is **BAL09637350284**. The applicable terms and conditions of the recognition of your school is annexed.

2. DATE OF ISSUE

Valid From:16-12-2024 To:16-12-2025(DD/MM/YYYY)

3. Recognition Type

New

4. School Type

Upper Primary School(6 to 8)

5. Recognition No.

DATE:- 16-12-2024

PLACE:- BALLIA

District Basic Education Officer

Digitally signed by MANISH KUMAR SINGH  
Date: 2024.12.16 11:44:12  
Reason: For Digital Signature  
Location: BALLIA

Note :This Certificate is digitally signed and downloaded copy from Portal [www.prernaup.in](http://www.prernaup.in)

# Water Analysis Report



## District Level Water Analysis Laboratory

(An NABL Accredited Laboratory)

Office of Executive Engineer, Khand Karyalya, Opposite SMTD College

Ballia-277001



TC-12228

URL No.: TC-1222824000000034F

Date: 18/01/2025

No. of Pages: 1

### Customer Details

Office Name and Address: NAVJEEVAN ENGLISH SCHOOL(BELTHARA ROAD),BALLIA

Ref. Letter No. & Date

### Basic Details of Sample

District	BALLIA	Block	SIAR
Gram Panchayat	BELTHARA ROAD	Village	BELTHARA ROAD
Habitation	BELTHARA ROAD	Location	SCHOOL
Water Source	SUMMERSIBLE	Sample Code	BUI/JAN/469
Quantity of Sample	1000 ML	Sampling date	16/1/2025
Sample Received Date	16/1/2025	S. collected by	ASHUTOSH
Sampling Method Used	IS 17614 (Part 3):2022	Sample Depositor	ASHUTOSH
Analysis Start Date	16/1/2025	Analysis Completion date	18/1/2025

Temperature - 21.2°C

Humidity-59%

S. No.	Analysed Parameters	Observed Value	Specification as per IS 10500:2012 (Second Revision)		Ref. Methods of Analysis
			Acceptable Limit	Permissible Limit	
1	2	3	4	5	6
1	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5): 2018
2	Taste	Agreeable	Agreeable	Agreeable	IS 3025 (Part 8): 2023
3	pH	7.26	6.5-8.5	6.5-8.5	IS 3025 (Part 11): 2022, Electrometric Method
4	Turbidity (NTU)	1.21	1	5	IS 3025 (Part 10):2023 (Nephelometric method)
5	Total Dissolved Solids, mg/l	224.00	500	2000	IS 3025 (Part 16): 2023 (Gravimetric method)
6	Chloride (as Cl), mg/l	10.98	250	1000	IS 3025 (Part 32): 2019 Argentometric method
7	Total Alkalinity, (as CaCO <sub>3</sub> ) mg/l	184.00	200	600	IS 3025 (Part 23): 2023 (Potentiometric and indicator method)
8	Total Hardness, (as CaCO <sub>3</sub> )	200.00	200	600	IS 3025 (Part 21): 2019 (EDTA method)
9	Calcium (Cl), mg/l	22.44	75	200	IS 3025 (PART 40) 2019; EDTA titrimetric method
10	Magnesium mg/l	34.99	30	100	IS 3025 (PART 46) 2019; Volumetric method using EDTA
11	Sulphate (as SO <sub>4</sub> ), mg/l	9.36	200	400	APHA 24rd Edition -4500-SO <sub>4</sub> Method E (Turbidimetric Method): 2023
12	Nitrate (as NO <sub>3</sub> ), mg/l	2.06	45	No relaxation	APHA 24rd Edition -4500- NO <sub>3</sub> Method B (UV Screening Method): 2023
13	Fluoride (as F), mg/l	0.28	1.0	1.5	APHA 24rd Edition -4500-F Method C (Ion-Selective Electrode Method) : 2023
14	Iron (as Fe), mg/l	0.32	1.0	No relaxation	APHA 24rd Edition -3500-Fe Method B (Phenanthroline Method) : 2023
15	Total Arsenic (as As), mg/l	0	0.01	No relaxation	APHA 24rd Edition -3500 Method B (Silver Diethyldithiocarbamate Method): 2023

All These parameters are under NABL Scope, BDL-Below Detection Limit, NA- Not Analysed

**Note:**

1. This certificate refers only to the particular sample(s) submitted for analysis.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract has been obtained from Head of Laboratory.
3. The analysis results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample(s) will be stored up to 07 days (in case of non-perishable items only) from the date of issue of analysis reports, unless otherwise specified.
5. Parameters above Permissible Limit are written in bold.
6. Sample(s) with any parameter value above Accepted Limit will only be used for oral consumption, if no other source is available.
7. Sample is Collected by Lab.

*Shiv Shankar Aggarwal*

SHIV SHANKAR AGGARWAL

(Report prepared by)

*ASHUTOSH KUMAR*  
Technical Manager  
District Level Water Analysis Laboratory  
(Report Authorised by)  
ASHUTOSH KUMAR  
Ballia Nigam (Rural)

Laboratory Contact detail:

Email: BALLIALABORATORY@gmail.com

Mobile No.: 9109355882

Ballia

\*\*\*\*\*END OF THE ANALYSIS REPORT\*\*\*\*\*

APPENDIX - VIII

PROFORMA REGARDING SAFE DRINKING WATER AND SANITARY CONDITION  
CERTIFICATE.

No. \_\_\_\_\_

Date : 21.01.2025

It is certified that an inspection team headed by Dr. Rakesh  
Kumar Singh (Name of Officers with designation) from Community Health center Belthara road (Name of Department/Office) inspected the Navjeevan English school Belthara Road Ballia U.P. (Name & Address of the School) on 21.01.2025 and found that the Navjeevan English school Belthara Road Ballia (Name of school) has safe drinking water facilities for the students and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building & the campus as per the norms prescribed by the Central/State/U.T Govt.

The above valid for a period of Jan 2025 - Jan 2026

Signature with Seal : Dr. Rakesh Kumar Singh

Name

: Dr. Rakesh Kumar Singh  
Designation : Supervisor

अधिकारी  
सामुदायिक स्वास्थ्य केन्द्र  
सीयर-बालिया

To

The Principal  
Navjeevan English school  
Belthara road Ballia U.P.

(Name & Address of the Institution)